

# LG 40 ZR

StandNr: 25

Schrüfer, Gabriel #70411409

# Jungschützen



Wertung

StartNr: 57

08.02.2026 11:06

SG\_Kufstein


**Ergebnis: 323.7 (305)**  
**Serien: 80.8 86.2 77.4 79.3**  
**Zähler: 3 6 11 14 5 1 0 0 0 0 0**  
**Innenzehner: 2**  
**Weiteste: 1346 (21.), 1223 (37.), 1177 (40.)**  
**beste Teiler: 131.7 (39.), 145.4 (18.), 213.1 (23.)**  
**Trefferkreis: 28.40 mm**  
**Trefferlage: 1.37 mm rechts, 1.88 mm tief**



### Serie 1: 80.8 (75)

8.8 ←                      7.2 ←                      6.9 →                      7.8 →                      6.6 →  
 9.0 ←                      7.9 ↓                      9.0 ←                      9.8 ↓                      7.8 ↓


**beste Teiler: 288.3 (9.), 480.5 (8.), 500.8 (6.)**  
**Trefferkreis: 23.93 mm**  
**Trefferlage: 1.05 mm rechts, 2.59 mm tief**



### Serie 2: 86.2 (81)

8.3 ↓                      9.3 →                      8.8 ←                      8.8 →                      8.0 →  
 9.2 →                      7.8 ↓                      10.4\* ←                      8.9 →                      6.7 →


**beste Teiler: 145.4 (18.), 410.6 (12.), 446.1 (16.)**  
**Trefferkreis: 20.34 mm**  
**Trefferlage: 3.37 mm rechts, 1.61 mm tief**



### Serie 3: 77.4 (74)

5.6 ←                      7.2 ↓                      10.1 ←                      7.1 ↓                      7.3 ↓  
 7.0 ←                      9.6 →                      7.6 ←                      7.3 →                      8.6 ←

**beste Teiler: 213.1 (23.), 328.3 (27.), 582.9 (30.)**  
**Trefferkreis: 27.12 mm**  
**Trefferlage: 1.13 mm links, 1.07 mm tief**



### Serie 4: 79.3 (75)

7.3 →                      8.6 →                      7.9 ←                      8.3 ←                      7.1 →  
 8.5 ←                      6.1 ↓                      8.9 ↓                      10.4\* ←                      6.2 ↓

**beste Teiler: 131.7 (39.), 522.8 (38.), 579.0 (32.)**  
**Trefferkreis: 24.48 mm**  
**Trefferlage: 2.19 mm rechts, 2.25 mm tief**



# LG 40 ZR

StandNr: 26

Simbeni, Matteo #80001356

# Jungschützen



Wertung

StartNr: 131

08.02.2026 11:25

SG\_Wörgl


**Ergebnis: 383.9 (368)**  
**Serien: 97.4 95.3 93.7 97.5**  
**Zähler: 15 18 7 0 0 0 0 0 0 0**  
**Innenzehner: 11**  
**Weiteste: 750 (26.), 705 (27.), 674 (3.)**  
**beste Teiler: 43.2 (6.), 83.3 (37.), 93.1 (11.)**  
**Trefferkreis: 18.84 mm**  
**Trefferlage: 0.46 mm links, 0.05 mm tief**



### Serie 1: 97.4 (94)

10.0 ↘	9.4 ←	8.3 →	9.3 ←	9.0 ↘
10.8* ↘	10.0 ↓	9.9 ←	10.5* ↘	10.2* ↘


**beste Teiler: 43.2 (6.), 106.5 (9.), 179.6 (10.)**  
**Trefferkreis: 15.46 mm**  
**Trefferlage: 0.73 mm links, 0.03 mm tief**



### Serie 2: 95.3 (90)

10.6* ↑	9.5 ↗	8.9 ←	9.6 ↘	10.0 ←
8.8 ↘	9.4 ↓	9.7 →	9.4 ↓	9.4 ↘


**beste Teiler: 93.1 (11.), 234.2 (15.), 314.2 (18.)**  
**Trefferkreis: 14.02 mm**  
**Trefferlage: 0.06 mm links, 0.97 mm tief**



### Serie 3: 93.7 (91)

10.3* ↘	8.7 →	9.1 ↘	10.0 ←	9.4 ↘
8.0 ←	8.1 ↘	10.3* ←	9.5 ←	10.3* ←

**beste Teiler: 165.9 (30.), 169.5 (21.), 174.6 (28.)**  
**Trefferkreis: 18.38 mm**  
**Trefferlage: 1.23 mm links, 0.12 mm hoch**





### Serie 4: 97.5 (93)

10.5* ↑	9.9 ←	9.4 ↘	9.0 →	8.8 ↓
10.2* ↑	10.6* ↘	10.5* ↗	9.1 ↗	9.5 ↑

**beste Teiler: 83.3 (37.), 101.5 (38.), 113.0 (31.)**  
**Trefferkreis: 14.62 mm**  
**Trefferlage: 0.18 mm rechts, 0.66 mm hoch**




**Ergebnis: 408.7 (391)**  
**Serien:** 104.4 101.6 99.7 103.0  
**Zähler:** 31 9 0 0 0 0 0 0 0 0  
**Innenzehner:** 26  
**Weiteste:** 438 (27.), 394 (30.), 333 (23.)  
**beste Teiler:** 27.8 (21.), 38.5 (8.), 53.6 (6.)  
**Trefferkreis:** 12.06 mm  
**Trefferlage:** 0.34 mm links, 0.11 mm hoch



**Serie 1: 104.4 (99)**

9.9↓	10.1↖	10.5*↗	10.6*↖	10.2*↓
10.7*↖	10.6*↓	10.8*↓	10.3*↖	10.7*↓


**beste Teiler:** 38.5 (8.), 53.6 (6.), 65.7 (10.)  
**Trefferkreis:** 8.44 mm  
**Trefferlage:** 0.48 mm links, 0.28 mm tief



**Serie 2: 101.6 (97)**

10.2*↖	10.4*↖	9.9↘	10.3*↖	9.6↖
10.2*↖	9.8↘	10.4*↖	10.7*↓	10.1↓


**beste Teiler:** 54.1 (19.), 147.9 (18.), 149.9 (12.)  
**Trefferkreis:** 10.76 mm  
**Trefferlage:** 0.58 mm links, 0.01 mm tief



**Serie 3: 99.7 (96)**

10.8*↘	10.1↑	9.6→	10.4*↖	9.7↓
10.2*↑	9.2↖	10.1←	10.2*→	9.4↖

**beste Teiler:** 27.8 (21.), 137.3 (24.), 176.4 (26.)  
**Trefferkreis:** 12.06 mm  
**Trefferlage:** 0.41 mm links, 0.61 mm hoch





**Serie 4: 103.0 (99)**

10.7*↓	10.2*↓	10.2*↗	10.4*↑	10.1↑
10.4*↓	10.3*→	10.7*→	9.6↖	10.4*↓

**beste Teiler:** 64.1 (38.), 72.5 (31.), 126.0 (40.)  
**Trefferkreis:** 9.66 mm  
**Trefferlage:** 0.11 mm rechts, 0.14 mm hoch




**Ergebnis: 406.3 (388)**  
**Serien:** 100.7 103.0 103.3 99.3  
**Zähler:** 29 10 1 0 0 0 0 0 0 0  
**Innenzehner:** 23  
**Weiteste:** 606 (7.), 382 (33.), 371 (21.)  
**beste Teiler:** 17.1 (23.), 35.0 (36.), 46.8 (22.)  
**Trefferkreis:** 13.52 mm  
**Trefferlage:** 0.37 mm links, 0.23 mm tief



**Serie 1: 100.7 (96)**

10.7*↗	10.0↘	10.2*↖	10.5*↗	9.9↘
10.5*↗	8.5↖	9.9↗	10.4*↖	10.1↖


**beste Teiler:** 75.2 (1.), 102.1 (6.), 124.0 (4.)  
**Trefferkreis:** 12.11 mm  
**Trefferlage:** 0.77 mm links, 0.30 mm hoch



**Serie 2: 103.0 (99)**

10.5*↖	9.9↘	10.2*↖	10.2*↘	10.4*↗
10.6*↖	10.1↗	10.3*↗	10.5*↖	10.3*↖


**beste Teiler:** 78.1 (16.), 108.8 (19.), 124.3 (11.)  
**Trefferkreis:** 8.64 mm  
**Trefferlage:** 0.21 mm rechts, 0.42 mm tief



**Serie 3: 103.3 (99)**

9.5↖	10.8*↘	10.9*↗	10.0↖	10.2*↖
10.6*↗	10.2*↖	10.1↗	10.7*↖	10.3*↘

**beste Teiler:** 17.1 (23.), 46.8 (22.), 71.1 (29.)  
**Trefferkreis:** 10.31 mm  
**Trefferlage:** 0.53 mm links, 0.22 mm tief





**Serie 4: 99.3 (94)**

9.8↗	9.9↗	9.4↗	10.3*↖	9.7↖
10.8*↖	9.5↖	10.4*↘	10.0↘	9.5↖

**beste Teiler:** 35.0 (36.), 148.9 (38.), 171.0 (34.)  
**Trefferkreis:** 11.50 mm  
**Trefferlage:** 0.42 mm links, 0.59 mm tief




**Ergebnis:** **391.7 (375)**  
**Serien:** 94.1 100.7 96.5 100.4  
**Zähler:** 22 11 7 0 0 0 0 0 0 0  
**Innenzehner:** 14  
**Weiteste:** 672 (38.), 668 (9.), 586 (10.)  
**beste Teiler:** 40.8 (17.), 54.7 (31.), 83.0 (13.)  
**Trefferkreis:** 17.84 mm  
**Trefferlage:** 0.34 mm rechts, 0.11 mm hoch



**Serie 1: 94.1 (90)**

10.2\*→      10.6\*←      9.4↘      9.0↗      9.5←  
 10.0↓      8.9←      9.6↗      8.3↖      8.6→


**beste Teiler:** 92.1 (2.), 199.0 (1.), 229.9 (6.)  
**Trefferkreis:** 15.57 mm  
**Trefferlage:** 0.25 mm rechts, 0.87 mm hoch



**Serie 2: 100.7 (97)**

10.3\*↓      10.0↑      10.6\*↑      9.7↗      9.2↖  
 10.0→      10.8\*↖      9.7↓      10.4\*←      10.0↓


**beste Teiler:** 40.8 (17.), 83.0 (13.), 145.7 (19.)  
**Trefferkreis:** 11.88 mm  
**Trefferlage:** 0.03 mm rechts, 0.22 mm hoch



**Serie 3: 96.5 (93)**

10.1↖      9.5←      8.9↘      8.6↖      10.1↑  
 10.0→      9.5↓      10.0→      10.2\*↓      9.6→

**beste Teiler:** 194.8 (29.), 201.2 (25.), 214.9 (21.)  
**Trefferkreis:** 15.56 mm  
**Trefferlage:** 0.08 mm rechts, 0.33 mm tief





**Serie 4: 100.4 (95)**

10.7\*←      10.3\*→      10.5\*↘      10.6\*↖      10.4\*↘  
 10.3\*↑      8.9→      8.3↘      9.9←      10.5\*↑

**beste Teiler:** 54.7 (31.), 93.5 (34.), 119.3 (33.)  
**Trefferkreis:** 13.30 mm  
**Trefferlage:** 1.01 mm rechts, 0.31 mm tief




**Ergebnis: 396.3 (377)**  
**Serien: 98.5 97.9 99.4 100.5**  
**Zähler: 18 21 1 0 0 0 0 0 0 0**  
**Innenzehner: 13**  
**Weiteste: 541 (3.), 498 (4.), 471 (20.)**  
**beste Teiler: 41.9 (19.), 53.3 (12.), 84.5 (9.)**  
**Trefferkreis: 14.89 mm**  
**Trefferlage: 0.04 mm links, 0.04 mm tief**



**Serie 1: 98.5 (93)**

9.9↙	9.9↗	8.8➡	9.0↖	9.6↘
10.5*↖	10.0↖	10.4*↗	10.6*↗	9.8↑


**beste Teiler: 84.5 (9.), 124.5 (6.), 148.4 (8.)**  
**Trefferkreis: 14.89 mm**  
**Trefferlage: 0.01 mm links, 0.48 mm hoch**



**Serie 2: 97.9 (92)**

9.5↘	10.7*↗	9.7↘	9.8↖	9.6↓
9.3➡	9.7➡	9.7↑	10.8*↖	9.1↘


**beste Teiler: 41.9 (19.), 53.3 (12.), 287.2 (14.)**  
**Trefferkreis: 11.93 mm**  
**Trefferlage: 1.19 mm rechts, 0.83 mm tief**



**Serie 3: 99.4 (96)**

10.1➡	9.6↖	10.1↓	9.7↑	10.5*↓
10.4*↖	10.3*↖	9.1↖	10.5*↗	9.1↖

**beste Teiler: 110.2 (29.), 117.4 (25.), 149.7 (26.)**  
**Trefferkreis: 11.21 mm**  
**Trefferlage: 1.08 mm links, 0.37 mm hoch**





**Serie 4: 100.5 (96)**

10.3*↑	9.9↘	10.6*↓	9.6↓	9.6↑
10.0↖	10.1↖	10.6*↖	10.2*↖	9.6➡

**beste Teiler: 96.8 (33.), 96.8 (38.), 175.1 (31.)**  
**Trefferkreis: 11.27 mm**  
**Trefferlage: 0.29 mm links, 0.19 mm tief**




**Ergebnis: 385.2 (369)**  
**Serien: 94.4 96.2 97.0 97.6**  
**Zähler: 14 21 5 0 0 0 0 0 0 0**  
**Innenzehner: 10**  
**Weiteste: 688 (9.), 662 (2.), 613 (29.)**  
**beste Teiler: 57.1 (20.), 71.5 (27.), 81.2 (4.)**  
**Trefferkreis: 17.98 mm**  
**Trefferlage: 0.51 mm rechts, 0.36 mm hoch**



**Serie 1: 94.4 (91)**

10.0←	8.3←	9.4↙	10.6*↗	9.7←
9.4→	10.1←	9.6↗	8.2↘	9.1↘


**beste Teiler: 81.2 (4.), 214.1 (7.), 235.3 (1.)**  
**Trefferkreis: 17.98 mm**  
**Trefferlage: 0.05 mm links, 0.34 mm tief**



**Serie 2: 96.2 (92)**

9.9↖	8.6↗	10.1↗	9.0←	8.5↑
9.2→	10.3*←	9.3↘	10.6*↑	10.7*↖


**beste Teiler: 57.1 (20.), 92.0 (19.), 162.7 (17.)**  
**Trefferkreis: 14.53 mm**  
**Trefferlage: 0.36 mm rechts, 1.20 mm hoch**



**Serie 3: 97.0 (92)**

9.3↗	9.7↑	9.8↖	9.7↙	10.2*↑
10.0↓	10.7*↗	9.5↗	8.5↘	9.6↑

**beste Teiler: 71.5 (27.), 177.1 (25.), 239.2 (26.)**  
**Trefferkreis: 13.79 mm**  
**Trefferlage: 0.27 mm rechts, 0.63 mm hoch**





**Serie 4: 97.6 (94)**

9.8→	9.1→	9.4→	9.0↑	10.2*↓
10.5*→	9.9→	10.3*→	9.1↓	10.3*↙

**beste Teiler: 124.6 (36.), 159.7 (40.), 163.1 (38.)**  
**Trefferkreis: 13.83 mm**  
**Trefferlage: 1.47 mm rechts, 0.04 mm tief**




**Ergebnis: 386.3 (369)**  
**Serien: 95.7 97.3 95.8 97.5**  
**Zähler: 16 17 7 0 0 0 0 0 0 0**  
**Innenzehner: 9**  
**Weiteste: 640 (39.), 634 (15.), 555 (1.)**  
**beste Teiler: 22.6 (31.), 75.8 (10.), 82.6 (12.)**  
**Trefferkreis: 16.40 mm**  
**Trefferlage: 0.43 mm links, 0.53 mm hoch**



**Serie 1: 95.7 (91)**

8.7↖                      8.8↖                      9.7↖                      9.1↖                      9.6↗  
 10.0↑                      10.4\*↘                      9.6↖                      9.1↖                      10.7\*↘


**beste Teiler: 75.8 (10.), 128.8 (7.), 228.4 (6.)**  
**Trefferkreis: 10.99 mm**  
**Trefferlage: 2.14 mm links, 1.55 mm hoch**



**Serie 2: 97.3 (93)**

9.7↖                      10.6\*↘                      10.4\*↗                      10.0↓                      8.4↗  
 10.2\*↖                      9.7↘                      10.2\*↓                      9.2↗                      8.9↖


**beste Teiler: 82.6 (12.), 144.2 (13.), 181.1 (18.)**  
**Trefferkreis: 15.92 mm**  
**Trefferlage: 0.04 mm rechts, 0.69 mm tief**



**Serie 3: 95.8 (91)**

10.0↑                      9.2↖                      9.5↑                      9.4↘                      9.6↗  
 10.3\*↓                      9.4↗                      9.9↗                      8.9↗                      9.6↗

**beste Teiler: 172.2 (26.), 230.2 (21.), 253.4 (28.)**  
**Trefferkreis: 13.70 mm**  
**Trefferlage: 0.93 mm rechts, 1.28 mm hoch**



**Serie 4: 97.5 (94)**

10.9\*↘                      10.3\*↘                      10.0↓                      10.0↓                      10.0↖  
 9.9↖                      10.0↗                      8.9↘                      8.4↖                      9.1↖



**beste Teiler: 22.6 (31.), 152.2 (32.), 227.3 (34.)**  
**Trefferkreis: 16.09 mm**  
**Trefferlage: 0.58 mm links, 0.00 mm**








**Ergebnis: 401.5 (383)**  
**Serien:** 101.8 100.0 100.1 99.6  
**Zähler:** 26 11 3 0 0 0 0 0 0 0  
**Innenzehner:** 21  
**Weiteste:** 702 (28.), 587 (22.), 581 (35.)  
**beste Teiler:** 7.2 (3.), 21.9 (18.), 42.0 (25.)  
**Trefferkreis:** 17.36 mm  
**Trefferlage:** 0.06 mm rechts, 0.36 mm hoch



**Serie 1: 101.8 (97)**

10.1 ←	9.2 →	10.9* →	10.4* ↑	9.6 ↘
10.3* ↓	10.6* ←	10.1 →	10.8* ←	9.8 ↑


**beste Teiler:** 7.2 (3.), 50.5 (9.), 86.8 (7.)  
**Trefferkreis:** 12.20 mm  
**Trefferlage:** 0.17 mm links, 0.00 mm



**Serie 2: 100.0 (96)**

10.3* ←	10.5* →	9.6 ←	10.0 ←	10.2* ↘
10.3* →	9.2 →	10.9* ↘	9.7 ←	9.3 →


**beste Teiler:** 21.9 (18.), 103.3 (12.), 151.7 (11.)  
**Trefferkreis:** 12.26 mm  
**Trefferlage:** 0.14 mm links, 0.65 mm hoch



**Serie 3: 100.1 (95)**

10.2* ↘	8.6 →	10.1 ↑	9.9 →	10.8* ↘
10.4* ↓	10.7* ↓	8.1 ←	10.6* →	10.7* ↓

**beste Teiler:** 42.0 (25.), 61.0 (30.), 75.1 (27.)  
**Trefferkreis:** 17.36 mm  
**Trefferlage:** 0.21 mm rechts, 0.01 mm tief





**Serie 4: 99.6 (95)**

10.3* ←	9.7 ↑	10.1 ←	10.2* →	8.6 →
9.5 ←	9.4 ↑	10.6* →	10.7* ←	10.5* →

**beste Teiler:** 63.9 (39.), 85.7 (38.), 119.3 (40.)  
**Trefferkreis:** 13.82 mm  
**Trefferlage:** 0.33 mm rechts, 0.80 mm hoch




**Ergebnis: 388.2 (374)**  
**Serien: 97.4 97.4 95.6 97.8**  
**Zähler: 18 18 4 0 0 0 0 0 0 0**  
**Innenzehner: 13**  
**Weiteste: 681 (4.), 614 (23.), 507 (28.)**  
**beste Teiler: 67.0 (37.), 72.4 (10.), 155.6 (38.)**  
**Trefferkreis: 16.47 mm**  
**Trefferlage: 0.43 mm rechts, 0.13 mm hoch**



**Serie 1: 97.4 (93)**

9.6←	9.5↖	10.3*↗	8.2↘	9.7←
9.3↙	10.2*↖	9.6→	10.3*↖	10.7*↖


**beste Teiler: 72.4 (10.), 169.4 (9.), 172.0 (3.)**  
**Trefferkreis: 14.59 mm**  
**Trefferlage: 0.26 mm links, 0.28 mm tief**



**Serie 2: 97.4 (93)**

9.4↑	9.1↗	9.9→	10.2*↖	8.9↘
10.3*↓	10.1↗	9.3←	10.3*↑	9.9↖


**beste Teiler: 155.7 (16.), 155.7 (19.), 195.3 (14.)**  
**Trefferkreis: 13.34 mm**  
**Trefferlage: 0.66 mm rechts, 0.16 mm hoch**



**Serie 3: 95.6 (93)**

10.3*↖	9.0↖	8.5↖	10.3*↖	9.3↗
10.0↘	9.1→	8.9↗	10.0↖	10.2*↖

**beste Teiler: 156.8 (21.), 164.6 (24.), 197.9 (30.)**  
**Trefferkreis: 12.89 mm**  
**Trefferlage: 0.49 mm rechts, 1.91 mm hoch**



**Serie 4: 97.8 (95)**

9.4↓	10.0→	10.3*↖	9.1↘	9.2↗
9.3↘	10.7*↓	10.3*↓	9.4↘	10.1←

**beste Teiler: 67.0 (37.), 155.6 (38.), 172.7 (33.)**  
**Trefferkreis: 12.25 mm**  
**Trefferlage: 0.84 mm rechts, 1.25 mm tief**

